





The rapid growth of the Internet of Things (IoT) has led to new radio communication technologies specifically designed to meet the growing demand for high energy efficiency and wide reach.

LoRa® based radio interface for sub-metering

The compact ULTRAHEAT® meters T230 and T330 have been further developed and adapted to the new requirements. For both meter types, interfaces based on LoRa® radio technology are already integrated and can be ordered as an option. They can therefore be easily integrated into your IoT networks and, thanks to OTC*, quickly put into operation.





Your Benefits

- Automated data transfer
- Avoid reading errors
- Improvement of data quality and quantity
- Long range
- Open standard Interoperable
- High network stability and data transmission security
- Your access to »district heating networks 4.0«





Technical Data

Interface characteristics

Class	A, bi-directional
LoRa® version	1.0.2
Activation	OTAA or ABP
Data Rate	DRO-DR5 (250-5470 Bit/s)

Radio characteristics

Frequency	868 MHz
Output Power	14 dBm
Receiver Sensitivity	-135 dBM

Electrical Data

Nominal Voltage	3.0 - 5.0 VDC
Power Consumption (max)	40 mA
Power consumption (sleep mode)	2.5 μΑ

Features

Eco Mode

The interface has a kind of power saving mode, because it can automatically reduce the transmission interval in case of insufficient reception. The battery life of 11 years is possible and the high radio range is also preserved.

Increased security

For enhanced data security, the so-called "Configuration Lock" provides a lock that prevents unauthorised configurations. For this purpose, the customer authenticates himself in the OTC App with his user & password. No one else can now make changes to the module.

Simple key handling

For a secure transmission of the keys, B Meters uses a portal where the customer downloads his keys from the platform. This avoids sending the keys by e-mail and increases security.

Configuration via NFC* interface

The configuration is set via free OTC* app for Android smartphones.

With your personal access you can define individual settings and save them as configuration profiles.

*Near Field Communication *One-Touch-Commissioning







Data acquisition, visualisation and analysis*

- Access 24/7 to your meter data
- Real-time data tracking (resolution to the minute)
- Choose whether you want to look at single meters or larger areas
- Map views and visualisation of meter alarms
- Custom dashboard according to your individual requirements

B Meters UK LTD | 6th Floor City Gate East, Toll House Hill | Nottingham | NG1 5FS | Tel +44 (0)115 7722506 | www.bmetersuk.com

While this document has been prepared in good faith it is provided 'as is' and no representation, warranty (including, without limitation, warranties for merchantability, fitness for a particular purpose or non-infringement of intellectual property rights), assurance or undertaking (express or implied) is or will be made and no responsibility or liability or liability is or will be accepted by B Meters or its officers, employees or agents in relation to the adequacy, accuracy, completeness or reasonableness of this document, or of any other information (whether written or oral), notice or document supplied or otherwise made available in connection herewith. All and any such responsibility and liability is expressly disclaimed.